

INDEX MAPS.

T.20N. R.14E. 2nd Mer.

	473-475	473-475	473-475	474-475	474-475	474-474	474					
477	6	497	5	491	4	488	3	484	2	481	1	473
	496		496		491		487		484		480	
477	7	496	8	491	9	487	10	484	11	480	12	472
	495		495		490		487		483		480	
476	18	495	17	490	16	486	15	483	14	479	13	472
	494		494		490		486		483		479	
476	19	494	20	489	21	486	22	482	23	479	24	472
	493		493		489		485		482		479	
476	30	492	29	489	28	487	27	482	26	478	25	471
	493		492		488		484		481		478	
476	31	492	32	488	33	484	34	481	35	477	36	471
	469-471		469-471		469-470		469-470		469-470		469-470	

T.21N. R.14E. 2nd Mer.

	505	504	504	504	503	503				
506	6	5	4	516	3	513	2	510	1	503
				516		513		510		
506	7	8	9	516	10	513	11	510	12	502
				515		513		509		
506	18	17	16	515	15	512	14	509	13	502
				515		512		509		
505	19	20	21	514	22	512	23	508	24	502
				517		514		512		508
505	30	29	28	514	27	511	26	508	25	501
				517		513		511		507
505	31	32	33	513	34	511	35	507	36	501
	499-501	499-500	499-500	499-500	499-500	499-500	499-500	499-500	499-500	

The figures on the lines refer to the page.

469

Township 20 North Range 14 East 2nd Mer. La.

Ch. & S. South Boundary. Var.

East On Random S. side of Sec. 31.

40.00 Set tempy. q. sec. post. Level Beech land.

55.00 a Brook 10 ft. wide course N.

80.00 Set mile post cor. of Sec. 31 & 32.

East On Random S. side of Sec. 32.

40.00 Set tempy. q. sec. post.

79.00 a Brook 3 ft. wide c. N.

80.00 Set post cor. to Sec. 32 & 33.
Level Beech land.

East On Random S. side of Sec. 33.

9.00 a Brook 10 ft. wide course N.

20.00 a Do. 10 " " " N.W.

40.00 Set q. sec. post, temporary.

45.00 a Brook 5 ft. wide c. N.

80.00 Set post cor. to Sec. 33 & 34.
Land, level. Timber, Beech Sugar

East On Random S. side of Sec. 34.

40.00 Set tempy. q. sec. post.

80.00 Set post cor. to Sec. 34 & 35.
Land & Timber as above.

East On Random S. side of Sec. 35.

40.00 Set tempy. q. sec. post.

51.00 a Brook 20 ft. wide course N.

54.00 a Do. 4 " " " N.

80.00 Set post cor. of Sec. 35 & 36.
Land & Timber as above.

East On Random S. side of Sec. 36.

40.00 Set tempy. q. sec. post.

86.50 Fell 25 ft. S. of the Town Cor.

470
E. D. N. R. 14 E. 2nd Mer. Indiana.
Ch. W.

Note. I am satisfied that there is some attraction to the West on the line dividing Ranges 13 & 14, from the Cor. of 15 & 16 Northward, as I have measured the East and West lines over a sec^d time & have also traced one Township a second time from North to South.

West Correct line on S. side Sec. 36.
40.00 Set q. sec. post from which
a Hickory 24 in. diam. bears S 17 E. 12 lb. dist.
an Ash " 10 " " " N 60 W. 16 " "
80.00 Set post Cor. to Sec. 35 & 36, fr. wh.
a Beech 8 in. dia. bears S 67 E. 9 lb. dist.
& a Do. 18 " " " N 29 W. 13 " "

West Correct S. side of Sec. 35.
40.00 Set q. sec. post, from which
an Elm 24 in. dia. bears S 70 E. 10 lb. dist. &
a Beech 24 " " " N 61 W. 28 " "
80.00 Set post Cor. of Sec. 34 & 35, fr. wh.
a Beech 8 in. dia. bears S 40 W. 14 lb. dist.
& a Do. 8 " " " N 72 E. 23 " "

West On correct S. side of Sec. 34.
40.00 an Ash 40 in. dia. bears N 55 W. 6 lb. dist.
& a Wh. Oak 24 in. " " S 73 E. 41 " "
" " These are the q. sec. post Bearings
80.00 Set post Cor. to Sec. 33 & 34, fr. which
a Beech 7 in. dia. bears S 68 E. 5 lb. dist. &
a Do. 8 " " " S 79 W. 10 " "

West On S. side of Sec. 33. (Correct line)
40.00 Set q. sec. post, from which
in a small pond, no Limb. near.
80.00 Set post Cor. to Sec. 32 & 33, fr. wh.

471

S. D. N. R. 14 E. 2nd Mer. Ind. a
Ch. W.

a Beech 13 in. dia. bears N 12 W. 30 lb. dist.
a Do. 10 " " " S 28 W. 23 " "

West Correct line S. Side of Sec. 32.

40.00 Set q. sec. post. from which
a Beech 18 in. dia. bears N 69 E. 20 lb. &
a Beech 7 " " " N 88 W. 32 lb. dist.

80.00 Set post cor. to sec. 31 & 32, from wh.
a Beech 7 in. dia. bears N 73 W. 5 lb. dist.
& an Ash 24 in. dia. " S 39 E. 29 " "

West Correct S. Side of Sec. 31.

40.00 Set q. sec. post. from which
a Beech 20 in. dia. bears N 55 E. 4 lb. dist.
& a Beech 18 " " " N 78 W. 17 " "

91.25 To Town Corner.

Surveyed in 1810.

By A. Holmes, Dep. Sur.

East Boundary.

North on E. Side of Sec. 36.

40.00 Set q. sec. post. from which
a Beech 12 in. dia. bears N 20 W. 13 lb. dist.
& a Do. 15 " " " S 8 E. 33 " "

62.50 an Ash 36 in. diam.

80.00 Set post cor. to Sec. 25 & 36, fr. wh.
a Beech 18 in. diam. bears S 14 W. 15 lb. dist.
a Do. 24 " " " N 14 E. 29 " "
Land, level, Limb. Beech.

North on E. Side of Sec. 25.

40.00 Set q. sec. post. from which
an Ash 14 in. dia. bears N 51 W. 9 lb. dist.
& an Ash 30 " " " S 14 E. 28 " "

75.00 an Ash 30 " "

472 S. 20 N. No. 14 E. 2nd Mer. Ind.^a

chk. M?

80.00 Set post Cor. to Sec. 24 & 25, from wh.
a Beech 14 in. dia. bears S 46° W. 6 lks. dist. X
a Do. 14 " " " N 18° E. 29 " "
Level, Beech land.

North On E. Side of Sec. 24.

12.50 a Brook 30 lks. wide e. E.
Land, & Rich Bottom. Sugar Walnut ^{ve.}

40.00 Set gr. sec. post. from which
a Beech 12 in. dia. bears S 13° W. 9 lks. dist. X
a Do. 12 " " " N 21° W. 23 " "

70.50 on Ash 17 " "

Land, level Rich. Beech, Sugar, Ash.

80.00 Set post Cor. to Sec. 13 & 24, from wh.
a Beech 12 in. dia. bears S 46° W. 4 lks. dist.
a Beech 16 " " " N 77° E. 31 " "
Land as above.

North On E. Side of Sec. 13.

27.14 a Beech 18 in. diam.

40.00 Set gr. Sec. post, from which
an Ironwood 4 in. dia. bears S 16° E. 7 lks. dist.
an Ironwood 6 " " " N 21° E. 7 " "

55.00 a Creek 50 lks. wide e. W.

61.65 a No. Oak 36 in. diam.

80.00 Set post Cor. to Sec. 12 & 13, fr. which
a Beech 15 in. dia. bears South, 3 lks. dist. X
a Do. 14 " " " N 40° W. 20 " "
Land, level. Beech, Sugar, Ash
Walnut &c.

North On E. Side of Sec. 12.

40.00 Set gr. Sec. post. from which
a Beech 20 in. dia. bears S 68° W. 20 lks. dist. X
a Do. 16 " " " N 59° E. 20 " "

55.00 a Brook 4 lks. wide e. W.

473

T. 20 N. R. 14 E. 2nd Mer. Indiana.
Ch. Hk?

80.00 Set post cor. to sec. 1 (from which) 1 & 12.
a Beech 6 in. diam. bears N 20 E. 8 lb. dist.
a Do. 12 " " " S 32 W. 128 " "
Level, Beech land.

North Cen Co. Side of sec. 1.

21.65 a Wh. Oak 36 in. diam.

40.00 Set gr. sec. post, from which
a Beech 8 in. diam. bears S 40 W. 26 lb. dist.
a Do. 6 " " " S 75 E. 8 " "

59.38 a Wh. Oak 36 in. diam.

80.00 Set post cor. of Towns 20 & 21 N. Ranges
14 & 15 East, from which
a Beech 16 in. diam. bears S 55 W. 26 lb. &
a Do. 16 " " " N 86 E. 28 lb. dist.

Surveyed in 1810.

By A. Holmes, Dep. Sur.

North Boundary.

Var. ~

East On Random S. Side of sec. 31. T. 21 N. R. 14 E.

40.00 Set tempy. gr. sec. post.

50.00 a Brook 5 lb. wide e. N.

80.00 Set post cor. to sec. 31 & 32.

Land, level. Timber: Hickory Beech
Ash &c.

East On Random S. Side of sec. 32. T. 21 N. R. 14 E.

40.00 Set temporary gr. sec. post.

65.00 Enter Swamp

76.00 quit the Swamp

80.00 Set mile post cor. to sec. 31 & 32. —

Land & c. as above.

East On Random S. Side of sec. 33. T. 21 N. R. 14 E.

40.00 Set gr. sec. post, from which

474 P. 20 N. R. 14 E. 2nd Mer. Ind.
Ch. W.

40.00 Set q. sec. post, from which
65.00 a Brook 3¹/₂ ft. wide c. S. E.
80.00 Set post cor. to sec. 33 & 34, fr. wh.
Land, same.

East On S. side of sec. 34. On Random.
40.00 Set empty. q. sec. post.
65.00 a Brook 3¹/₂ ft. wide course S.
80.00 Set post cor. to sec. 34 & 35, fr. wh.
Land, same. Beech Land.

East On Random S. side of sec. 35.
1.00 a Brook 5 ft. wide course N.
4.00 a Brook 5 " " " N.
40.00 Set empty, q. sec. post
80.00 Set post cor. to sec. 35 & 36.
Land level. Timber Beech.

East On Random S. side of sec. 36.
39.00 a Brook 5 ft. wide course N.
40.00 Set q. sec. post, from empty.
95.00 Hill 25 ft. N. of the cor. of Towns.
20 & 21 N. Ranges 14 & 15. E.

West Correct line on S. side of sec. 36.
40.00 Set q. sec. post, from which
a Beech 12 in. dia. bears S 80° W. 18 ft. dist.
a Do. 14 " " " S 39° E. 32 " "
80.00 Set post cor. to sec. 35 & 36 fr. wh.
a Beech 7 in. dia. bears N 23° W. 15 ft. dist.
a Lym 24 " " " S 35° E. 25 " "

West On S. side of sec. 35. Correct. T. 21 N. R. 14 E.
40.00 Set q. sec. post, from wh.
a Beech 8 in. dia. bears S 75° E. 37 ft. dist.
a Hickory 24 in. dia. " N 84° W. 32 " "

475

T. 20 N. R. 14 E. 2nd New. Ind. 21

80.00 Set post cor. Sec. 34 & 35 from which
a Beech 24 in. dia. bears N 65 W 16 lb. dist.
a Do. 18 " " " S 50 E 22 " "

West On S. side of sec. 34 (correct?) T. 21 N. R. 14 E.
40.00 Set q. sec. post, from which
a Beech 16 in. dia. bears N 70 W 24 lb. dist.
a Do. 18 " " " S 59 E 32 " "

80.00 Set post cor. to sec. 33 & 34, from wh.
a Sugar 14 in. diam. bears S 45 W 29 lb. dist.
a Do. 18 " " " N 35 W 31 " "

West On S. side of sec. 33 (correct?) T. 21 N. R. 14 E.
40.00 Set q. sec. post, from which
a Beech 24 in. dia. bears S 83 W 21 lb. dist. &
an Iron wood 4 in. dia. " S 59 E 24 " "

80.00 Set post cor. Sec. 32 & 33, from which
a Hickory 14 in. dia. bears N 10 W 11 lb. dist.
a Beech 16 " " " S 54 W 41 " "

West On correct S. side of sec. 32. T. 21 N. R. 14 E.
40.00 Set q. sec. post from which
a Beech 16 in. dia. bears S 52 E 9 lb. dist. &
a Do. 16 " " " N 40 W 25 " "

80.00 Set post cor. to sec. 31 & 32, fr. wh.
a Sugar 12 in. dia. bears N 57 W 5 lb. dist. &
a Beech 14 " " " S 26 W 12 " "

West On correct S. side of sec. 31. T. 21 N. R. 14 E.
40.00 Set q. sec. post, from which
an Ash 4 in. dia. bears N 74 E 5 lb. dist. &
a Hickory 18 " " " S 62 W 24 " "

93.42 To Lower cor. post.

Surveyed in 1810.

By.

A. Holmes, Dep. sur.
Alexander Holmes

S. 20 N. 16. 14 E. 2nd Mer. Ind. &
Ch. Ho.

West Boundary.

North On E. side of Sec. 36. T. 20 N. R. 13 E.
23.00 an Elm 30 in. diam.
40.00 Set gr. Sec. post, from which
a Beech 20 in. dia. bears S 50 W 13 1/2 km. sub-
tan Ironwood 5 in. " " N 60 E 8 " "
80.00 Set post cor. to Sec. 35 & 36 from which
a Beech 16 in. dia. br. N 24 W 24 1/2 km. dist.
tan Ash 12 " " " S 4 E 61 " "
Level Beech land -

North On E. side of Sec. 25. T. 20 N. R. 13 E.
34.50 an Elm 24 in. diam.
40.00 Set gr. Sec. post from which
a Beech 18 in. dia. bears S 54 E. 57 1/2 km. dist.
X a Hickory 14 " " " N 74 W. 50 " "
80.00 Set post cor. to Sec. 24 & 25, from which
a Sugar 18 in. diam. bears S 74 E. 74 1/2 km. dist. X
a Do. 16 " " " N 79 W. 23 " "
Level Beech land.

North On E. side of Sec. 24. T. 20 N. R. 13 E.
12.00 a Brook 3 1/2 km. wide course N.
35.50 an Ash 30 in. diam.
Dim. Hickory Ash. Sugar, Beech &c.
40.00 Set gr. Sec. post, from which
a Hickory 18 in. dia. bears S 7 E. 9 1/2 km. dist.
an Ash 5 " " " North 13 " "
61.75 a Beech 18 in. diam.
80.00 Set post cor. to Sec. 13 & 24 ft. wh.
an Ash 18 in. dia. bears S 16 E. 31 1/2 km. dist.
a Beech 18 " " " N 4 W. 22 " "

North On E. side of Sec. 13. T. 20 N. R. 13 E.
16.00 a Brook 50 km. wide c. W.

T 20 N. R. 14 E. 2nd Mer. Indiana.

477

ch. 1/2

- 40.00 Set q. sec. post, from which
a Sugar 18 in. dia. bears S 52 E. 28 lb. dist. X
a Sugar 20 " " " N 36 W. 35 " "
- 45.00 a Brook 2 lb. wide course S. E.
- 80.00 Set post cor. to sec. 12 X 13, from which
a Beech 18 in. dia. bears N 8 E. 9 lb. dist.
a Sugar 15 " " " N 51 W. 5 " "
Var. 28th 1810. Level Beech land.

North An E. side of Sec. 12. T. 20. N. R. 14 E.

- 40.00 Set q. sec. post, from which
a Beech 8 in. dia. bears N 11 E. 13 lb. dist. X
a Do. 16 " " " N 8 E. 35 " "
- 50.00 To small swamp
- 80.00 Set post, cor. to sec. 1 X 12, from wh.
an Ash 3 1/4 in. dia. bears N 65 W. 18 lb. dist. X
a Beech 16 " " " N 69 E. 35 " "
Level Beech land.

North An E. side of Sec. 1. T. 20 N. R. 13 E.

- 40.00 Set q. sec. post, from which
a Beech 10 in. dia. bears S 20 E. 26 lb. dist. X
a Do. 8 " " " N 57 E. 13 lb. dist.
- 65.00 a Beech 12 in. diam.
- 80.00 Set post cor. to Towns 20 X 21 North, -
Ranges 13 X 14 East, from which
a Hickory 16 in. dia. bears S 57 W. 27 lb. dist. X
a Beech 18 " " " S 71 E. 15 " "
Level, Beech land.

Surveyed in 1810.

By A. Holmes, Dep. Sur.

Subdivisions.

Var.

North An Line Between Sec. 35 X 36.

- 8.90 a Beech 20 in. diam.

478

S. 20 N. No. 14 E. 2nd Mer. Indiana.

ch. No.	
9.50	a chain course N. W.
34.00	a chain course N. W.
40.00	Set gr. sec. post, from which a Beech 18 in. dia. bears N 15 W. 21 lks. dist. x a Do. 10 " " " N 59 E. 10 " "
58.50	a Branch 10 lks. wide E. S. W.
76.00	a line 60 " " course N. E.
80.00	Set post Cor. to Secs 25, 26, 35 & 36 in a Creek, from which a Walnut 30 in. dia. bears S 57 W. 47 lks. dist. an Elm 24 " " " S 44 E. 36 " " Pin. Beech, Oak, Ash, a little swampy.
East	an Meander Between Secs 25 & 36.
40.00	Set temporary gr. sec. post.
79.60	Intersect N & S line 40 lks. S. of post. Land, level some wet. Beech. No. Oak & Elm.
West	Correct line Between Secs 25 & 36.
39.80	Set gr. sec. post, from which a Beech 16 in. dia. bears S 68 E. 16 lks. dist. x an Ash 20 " " " S 76 W. 19 " "
79.60	Sec. Cor.
North	Between Secs 25 & 26.
2.50	a creek N. W.
9.60	a Beech 30 in. diam.
40.00	Set gr. sec. post, from which a Hickory 18 in. dia. bears N 44 E. 6 lks. dist. x a Bl. Ash 18 " " " S 25 E. 19 " "
43.45	a Beech 22 " "
80.00	Set post Cor. to Secs 23, 24 & 25 & 26, from which a Beech 14 in. dia. bears N 6 E. 28 lks. dist. x a Beech 20 " " " S 3 E. 28 " " Beech, Oak & Ash.

(479)

S. 20 N. R. 14 E. 2nd Mer. Indiana.

East On Random between Secs. 24 & 25.
 40.00 Set temporary q. sec. post.
 55.00 a Branch 50 W. wide c. N. E.
 79.66 Intersect N. & S. line 20 W. S. of post.
 Land, level post wet. Some good
 Timb. Oak, Elm, & Ash.

West correct line between Secs. 24 & 25.
 39.83 Set q. sec. post, from which
 an Elm 60 in. dia. bears N 54 W 20 W. dist. x
 a Do. 20 " " " S 4 W 45 " "
 60.00 an Elm 20 " "
 80.00 Section Corner. - sec. cor.

North Between Secs. 23 & 24.
 40.00 Set q. sec. post, from which
 a Sugar 14 in. dia. bears N 4 W 8 W. dist. x
 a Beech 10 " " " S 89 E 7 W. dist.
 40.00 an Elm 20 in. diam.
 80.00 Set post cor. to Secs. 13, 14, 23 & 24 -
 a Beech 10 in. dia. bears N 22 W 6 W. dist. x
 a Do. 10 " " " N 29 E 6 " "
 Land timbered with Beech Ash & Oak.

East On Random between Secs. 13 & 24.
 40.00 Set temp. q. sec. post.
 80.00 Set mile post.

West correct line between Secs. 13 & 24.
 40.00 Set q. sec. post, from which
 a Beech 10 in. dia. bears S 21 W 4 W. dist. x
 a Hickory 24 " " " N 10 W 4 " "
 80.00 Sec. cor.

North Between Secs. 13 & 14.
 40.00 Set q. sec. post from which

T. 20 N. R. 14 E. 2nd Mer. Indiana.

ch. 40. an Elm 30 in. dia. bears S 13° W. 24 lb. dist. &
 a Sugar 14 " " " N 30° E. 9 " "
 59.50 a Branch 75 lb. wide e. S. W.
 80.00 Set post cor. to sec. 11, 12, 13 & 14 fr. wh.
 an Ash 24 in. dia. bears S 63° W. 12 lb. dist.
 a Beech 13 " " " N 59° E. 12 " "
 Timber: Beech, Ash, Hickory & Oak.

East on Random Between Sec. 12 & 13.
 40.00 Set temporary q. sec. post.
 80.10 Intersect N & S. line 14 lb. S. of post.

West correct line between Sec. 12 & 13.
 40.05 Set q. sec. post. from which
 a Beech 18 in. dia. bears N 53° E. 18 lb. dist. &
 a Do. 12 " " " S 9° W. 22 " "
 Land, Beech, Ash, Oak & Hickory

North Between Sec. 11 & 12.
 11.78 a Beech 22 in. diam.
 40.00 Set q. sec. post. from which
 a Beech 10 in. dia. bears S 74° E. 21 lb. dist. &
 a Beech 20 " " " S 83° W. 32 " "
 57.45 an Oak 18 " "
 80.00 Set post cor. to sec. 1, 2, 11 & 12. fr. wh.
 a Beech 6 in. dia. bears S 10° W. 6 lb. dist. &
 a Hickory 10 " " " N 40° E. 30 " "
 Timber, Beech, Ash, Oak & Hickory.

East on Random between sec. 1 & 12.
 33.10 a Branch 10 lb. wide e. S. N. W.
 40.00 Set temp. q. sec. post.
 65.70 a Branch 8 lb. wide e. N. E.
 80.00 To post cor. to sec. 25 lb. N. of post

West correct line between Sec. 1 & 12.

S. 20 N. R. 14 E. 2nd Mer. Indiana.

481

Ch. W.

West correct line between Sec. 1 & 12.
 40.00 Set q. sec. post, from which
 a Beech 14 in. dia. bears S 36.29 W. 1st dist. X
 a Do. 18 " " " S 86 W. 31 " "
 80.00 See cor.
 Limb: Beech, Ash, Oak & Hickory.

North on line between Sec. 1 & 12.
 25.20 a Branch 12 in. wide c. W.
 40.00 Set q. sec. post, from which
 a Sugar 12 in. dia. bears S 76 E. 14 W. 1st dist. X
 a Crk. Oak 8 in. dia. " S 26 W. 27 " "
 79.50 Intersect N. Boundary, 30 in. E. of post. X
 Set post cor. to Sec. 1 & 12, from which
 a Beech 8 in. dia. bears S 77 E. 21 W. 1st dist. X
 a Hickory 18 " " " S 81 W. 5 " "
 Land, level part wet. Beech, Ash,
 Hickory & Oak.

North Between Sections 34 & 35.
 40.00 Set q. sec. post from which
 a Beech 20 in. dia. bears N 16 W. 25 W. 1st dist.
 a Sugar 10 " " " S 47 W. 12 " "
 80.00 Set post cor. to Sec. 26, 27, 34 & 35, fl. wh.
 a Beech 18 in. dia. bears N 76 E. 14 W. 1st dist.
 a Do. 18 " " " S 45 E. 18 " "
 Land, good. Beech, Sugar, Ash & Oak.

East on Random between Sec. 26 & 35.
 40.00 Set temporary q. sec. post.
 80.00 To N & S. line at post, in creek.

West correct line between Sec. 26 & 35
 40.01 Set q. sec. post, from which
 a Beech 27 in. dia. bears S 77 E. 21 W. 1st dist. X

T. D. N. R. 14 E. 2nd Mer. Indiana.Ch. P. Lk.
80.00

See corner.

a Beech 20 in. dia. bears N 14 E. 29 lks. dist.
Land good. Beech Ash Sugar &c.

North Between Sections 26 & 27.

11.10 a Beech 22 in. diam.

40.00 Set gr. sec. post. from which
a Beech 16 in. dia. bears S 62 E. 10 lks. dist.
a Do. 9 " " " S 87 W. 12 " "

45.20 a Branch course N. E.

60.00 a Drain course E.

79.00 a Drain & Deer lick.

80.00 Set post. cor. to Sec. 22, 23, 26 & 27, from wh.
an Ash 13 in. diam. bears N 48 E. 17 lks. dist. &
an Ash 10 " " " S 35 W. 33 " "
Land good. Limb. Beech Ash and
Sugar.

East on Mounds between Sec. 23 & 26.

2.20 a Branch 15 lks. wide course N

40.00 Set temporary sec. post. from which.

80.40 Intersect N & E line 20 lks. N. of post.

West correct line between Sec. 23 & 26.

110.20 Set gr. sec. post. from which

a Beech 16 in. dia. bears S 4 E. 12 lks. dist. &
an Elm 22 " " " S 20 W. 20 " "

80.40 Sec. cor.

Limb. Beech, Elm, Ash, Sugar & Oak.

North Between Sections 22 & 23.

5.50 a Drain course N. E.

20.50 a Branch 30 lks. wide course N. W.

40.00 Set gr. sec. post. from which
a Beech 24 in. dia. bears N 55 W. 23 lks. dist.
a Sugar 12 " " " S 78 E. 20 " "

80.00 Set post. cor. to Sec. 14, 15, 22 & 23.

483

T. 20 N. R. 14 E. 2nd Mer. Indiana.

ch. Lk. an Elm 13 in. dia. bears N 22 E. 7 lks. dist. &
an S. Oak 38 " " " S. 20 " "
Timb. Beech, Ash, Oak. July 1811.

East On Random between Secs 14 & 23.
26.00 a Branch 10 lks. wide c. N. W.
40.00 Set temporary g. sec. post.
80.16 Intersect N & S line 40 lks. N. of post.

West Correct line between Secs 14 & 23.
40.08 Set g. sec. post, from which
a Maple 8 in. dia. bears S 64 E. 11 lks. dist. &
a Beech 8 " " " 178 W. 22 " "
80.16 Sec. cor.
Land, part wet. Beech, Ash, Elm,
Sugar &c.

North Between Secs 14 & 15.
19.74 a Beech 21 in. diam.
37.30 a Branch 110 lks. wide Course W
40.00 Set G. sec. post, from which
an Ash 6 in. dia. bears N 33 = 13 lks. dist. &
a Sycamore 20 in. dia. bears N 16 W. 20 lks. dist.
80.00 Set post cor. to Secs 10, 11, 14 & 15 from wh.
a Beech 8 in. dia. bears N 82 E. 14 lks. dist.
a Sugar 11 " " " N 59 W. 27 " "
Tim. Beech, Oak & Hickory.

East On Random between Secs 11 & 14.
40.00 Set temp. g. sec. post.
79.30 Intersect N & S line 30 lks. N. of post.

West On correct line between Secs 11 & 14.
39.65 Set g. sec. post, from which
a Bl. Oak 28 in. dia. bears N 52 E. 22 lks. &
a Beech 8 " " " S 47 E. 8 " "

484

T. D. N. No. 14 E. 2nd Mer. Indiana

79.30 Sec. cor.

ch. Lk. Beech Oak Ash & Sugar.

North Between Secs. 10 & 11.

40.00 Set q. sec. post from which
 a Beech 18 in. dia. bears S 38° W. 8 lks. dist. &
 a Do. 20 " " " N 80° E. 22 " "

50.40 a Bl. Oak 32 in. diam.

54.50 a Branch 12 lks. wide C. W.

80.00 Set mill post, cor. to Sect. 2, 3, 10 & 11.
 Land & Timber. ———

East at Random between Sect. 2 & 11.

40.00 Set temp. q. sec. post from which
 80.00 Intersect N & S. line at post.

West correct line between Sect. 2 & 11.

40.00 Set q. sec. post from which
 a Beech 10 in. dia. bears S 12° E. 37 lks. dist. &

80.00 a Do. 12 " " " N 42° W. 23 " "
 Sec. corner.

Land, level post set. Timber: Ash,
 Beech, Oak & Elm. Some Hickory.

North Between Sections 2 & 3.

40.00 Set q. sec. post from which
 an Ash 12 in. dia. bears N 73° E. 17 lks. dist. &
 a Beech 8 " " " S 39° W. 11 " "

42.56 a Bl. Ash 22 in. dia.

55.50 a Branch 10 lks. wide Course W.

72.50 Intersect the N. Boundary 118 lks. W. of
 post & set post cor. to Sect. 2 & 3, from which
 an Elm 21 in. dia. bears S 44° W. 22 lks. dist. &
 an Elm 18 " " " S 8° W. 30 " "

Land & Timber. ———

North Between Sections 33 & 34.

485

S.D.N. N. 14 E. 2nd Mer. Ind. a
Ch. M.

18.06 a Poplar 22 in. dia.
40.00 Set gr. sec. post, from which
a Poplar 16 in. dia. bears N 5 E. 6 1/2 M. dist.
& a Beech 12 " " " S 6 W. 31 " "
80.00 Set post cor. to Sects 27, 28, 33 & 34 fr. wh.
a Sugar 20 in. dia. bears N 8 E. 14 1/2 M. dist. &
a Beech 16 " " " S 60 E. 23 " "
Limbs: Beech Sugar Oak & Poplar.

East Unk Meander between Sects 27 & 34.
39.40 a Drain Course N.
40.00 Set tempy. gr. sec. post. f
64.00 a Drain Course N.
79.60 Intersect N & S. line 20 M. S. of post.
Land & Limbs ~~~~~

West correct line between Sects 27 & 34.
39.80 Set gr. sec. post, from which
a Hickory 12 in. dia. bears N 3 E. 13 1/2 M. dist.
a Do. 20 " " " N 13 W. 26 " "
79.60 Sec. cor.

North Between Sections 27 & 28.
19.10 an Ash 30 in. diam.
40.00 Set gr. sec. post, from which
a Sugar 22 in. dia. bears N 33 E. 17 1/2 M. dist. &
a Beech 12 " " " N 66 W. 22 " "
47.60 an Oak 22 in. diam.
56.60 a Branch 11 M. wide Course E.
80.00 Set post cor. to Sects 21, 22, 27 & 28, fr. wh.
a Beech 22 in. dia. bears S 68 W. 20 M. dist.
a Do. 10 " " " S 24 E. 20 " "
Land & Limbs ~~~~~

East Unk Meander between Sects 22 & 27.
6.50 a Drain Course N.

486

T. 90 N. R. 14 E. 2nd Mer. Ind. a

Ch. Lk.

40.00 Set g. sec. post, temp.
80.00 To N & S. line at post.

West Correct line between Sec. 22 & 27.

40.00 Set g. sec. post, from which
a Beech 12 in. dia. bears S 25 W. 24 lks. dist. &
a Do. 12 " " " N 8 W. 24 " "

80.00 Sec. cor.
Beech, Ash & Oak.

North Between Sec. 21 & 22.

8.10 a Wh. Oak 22 in. diam.

26.00 a Branch course N. W.

40.00 Set g. sec. post, from which
a Sugar 12 in. dia. bears N 15 E. 15 lks. dist. &
a Lym 10 " " " S 73 W. 6 " "

56.20 an Ash 20 in. diam.

80.00 Set post cor. to Sec. 15, 16, 21 & 22, fr. wh.
a Beech 12 in. diam. bears S. 7 E. 19 lks. dist. &
a Do. 8 " " " S 8 W. 19 " "
Beech, Ash & Oak.

East An Random Between Sec. 15 & 22.

30.00 a Branch 12 lks. wide E. N.

40.00 Set tempy. g. sec. post.

80.00 To N & S. line at post.

West Correct line between Sec. 15 & 22.

40.00 Set g. sec. post, from which
a W. = 12 in. dia. bears N 78 E. 20 lks. dist. &
a Hickory 20 in. " " N 38 W. 23 " "

80.00 Sec. cor?
Limb. Beech, Ash, Sugar & Oak.

North Between Sec. 15 & 16.

8.12 a Branch 5 lks. wide E. W.

487

T. 20 N. R. 14 E. 2nd Mer. Ind. a

Ch. Ch.

13.10 a Beech 21 in. diam.
 40.00 Set q. sec. post. from which
 a Wh. Oak 18 in. dia. bears S 89 W. 10 lb.
 a Buckeye 8 " " " N 22 E. 15 " dist.
 56.12 a Beech 14 " "
 80.00 Set post cor. to Sect. 9, 10, 15, & 16, fr. wh.
 a Beech 10 in. dia. bears N 36 E. 20 lb. dist.
 a Do. 18 " " " N 82 W. 13 " "
 Timber: Beech, Ash, Oak & Sugar.

East on Random between Sect. 10 & 15.

25.00 15.00 Pond.

40.00 Set temp. q. sec. post.

80.70 Intersect N & S. line 60 lb. of post.

West correct line between Sect. 10 & 15.

40.35 Set q. sec. post. from which
 a Beech 12 in. dia. bears N 34 W. 11 lb. dist.
 a Sugar 8 " " " S 2 W. 26 " "

80.70 See. cor.

Land, part wet. Timber: Beech, -
 Ash, Oak.

North Between Sections 9 & 10.

40.00 Set q. sec. post. from which
 a Beech 20 in. dia. bears S 46 E. 22 lb. dist.
 a Sugar 20 " " " N 82 E. 25 " "

80.00 Set a. sec. post. from which
 cor. to Sect. 3, 4 & 9 & 9.

a Beech 6 in. dia. bears S 36 W. 25 lb. dist.
 a Do. 18 " " " N 82 E. 9 " "
 Timber: Beech, Ash, Oak & Sugar.

East on Random between Sect. 3 & 10.

40.00 Set temp. q. sec. post.

79.70 Intersect N & S. line 50 lb. N. of post.

S. 20 N. R. 14 E. 2nd Mer. Ind. a
ch. H.

West correct line between Secs 3 & 10.
39.85 Set g. sec post from which
a Beech 8 in. dia. bears N 71 E, 19 lb. dist. &
a Do. 18 " " " S 60 W, 31 " "
Tim. Beech, Ash, Oak & Hickory.
February, 12th 1811.

North Between Secs 3 & 4.

40.00 Set g. sec post, from which
a Hickory 18 in. dia. bears S 60 W, 20 lb. dist.
a Beech 6 " " " S 15 E, 21 " "
45.70 a Hickory 20 in. diam.
72.25 Intersect N. Boundary 30 lb. E. of post
& set post for cor. of Secs 3 & 4, fr. wh.
a Hickory 8 in. dia. bears S 47 W, 39 lb. dist.
a Beech 10 " " " S 62 E, 32 " "
Tim. Beech Ash, Oak.

North Between Sections 32 & 33.

2.95 a Beech 16 in. diam.
4.50 a Drain
40.00 Set g. sec post, from which
a Sugar 22 in. dia. bears N 14 W, 20 lb. dist.
a Poplar 14 " " " S 15 W, 23 " "
54.50 a Branch 25 lb. wide course N. W.
71.00 a Do. 25 " " " N. E.
75.00 a Drain N. W.
80.00 Set post cor. to Secs 28, 29, 32 & 33, fr. wh.
an Elm 18 in. dia. bears S 30 E, 20 lb. dist. &
a Sycamore 33 in. diam. S 59 W, 35 lb. "
Land & Limbs.

East or Random between Secs 28 & 33.

9.00 a Drain course N. W.
40.00 Set temp. g. sec post.
80.00 Set N. & E. line at post. Land.

S. D. N. R. 14 E. 2nd Mer. Ind. a

489

Ch. Sk.

West corner line between Sec. 28 & 33.
40.00 Set gr. sec. post. from which
a Beech 20 in. dia. bears N 10 E. 14 lks. dist.
x a Do. 22 " " " S 9 E. 22 " "
80.00 Sec. cor.

North Between Sections 28 & 29.

5.50 a Drain Course W.
22.95 an Ash 24 in. diam.
40.00 Set gr. sec. post. from which
a Beech 12 in. dia. bears N 24 E. 18 lks. dist. x
a Do. 13 " " " S 29 W. 21 " "
65.20 a Sugar 24 in. diam.
80.00 Set post cor. to Sec. 20, 21, 28 & 29. fr. wh.
a Beech 20 in. dia. bears N 60 W. 33 lks. dist.
a Do. 24 " " " N 43 E. 21 " "
Land & Limb. — —

East & West Random between Sec. 21 & 28.

40.00 Set temp. gr. sec. post.
79.60 To N & S. line at post.
Land & Limb.

West corner line between Sec. 21 & 28.

40.00 Set gr. sec. post. from which
a Beech 20 in. dia. bears S 69 E. 35 lks. dist. x
a Do. 18 " " " N 30 W. 31 " "
79.60 Sec. cor.

North Between Sections 20 & 21.

28.20 a Buckeye 18 in. dia.
40.00 Set gr. sec. post. from which
a Beech 8 in. diam. bears N 15 E. 12 lks. dist. x
a Sugar 14 " " " S 79 W. 14 " "
45.50 200 Swamp
54.11 Sugar 22 in. diam.

490 P. 20 N. 16. 14 E. 2nd Mer. and a

Ch. Lk.

80.00 Set post cor. to sec. 15, 16, 20 & 21, fr. wh.
a Sugar 22 in. dia. bears N 63 1/2 W 22 lks. dist. &
a Sugar 23 " " " N 82 E, 44 " "
Land & Limb. the —

East on Random between Sec. 16 & 21.

29.20 a Branch 10 lks. wide course N.

40.00 Set temp. gr. sec. post. from which

70.00 a Branch 20 lks. wide course N.

80.00 Intersect N & S. line 20 lks. S. of post.
Land & Timber. —

West corner line between Sec. 16 & 21.

40.00 Set gr. sec. post. from which
a Beech 12 in. dia. bears S 33 E, 5 lks. dist. &
an Ash 30 " " " N 37 E, 22 " "

80.00 Sec. cor.

North Between Sec. 16 & 17.

24.64 a Beech 17 in. diam.

33.50 a Branch 100 lks. wide E. W.

40.00 Set gr. sec. post. from which

a Walnut 16 in. dia. bears S 75 W 28 lks. dist.

a Hickory 14 " " " N 46 E, 30 " "

43.15 a Beech 23 " "

80.00 Set post cor. to sec. 8, 9, 16 & 17, fr. which
a Beech 10 in. dia. bears S 86 E, 7 lks. dist. &
a Do. 26 " " " N 14 E, 29 " "
Limb. Beech, Ash, Oak, Sugar &
Hickory.

East on Random between Sec. 9 & 16.

40.00 Set temp. gr. sec. post.

80.00 Intersect N & S. line 15 N. of post.

West corner line between Sec. 9 & 16.

491

T. 20 N. R. 14 E. 2nd Mer. Ind. -

40.00 Set gr. sec. post. from which
a Wh. Ash 33 in. dia. bears S 54° W. 6 lb.
a Sugar 17 " " " N 50° W. 43 " ft.
Timb. Beech, Sugar Oak & Maple.
80.00 Sec. Cor..

North Between Sections 8 & 9.

4.25 a Beech 21 in. diam.
40.00 Set gr. sec. post. from which
a Beech 20 in. dia. bears N 43° E. 6 lb. dist.
a Do. 23 " " " S 60° E. 22 " "
43.30 a Sugar 20 " "
80.00 Set post loc. to sec. 4, 5, 8 & 9. from wh.
a Beech 21 in. dia. bears N 67° E. 21 lb. dist. X
a Do. 18 " " " N 58° W 8 " "
Timb. Beech Ash & Oak.

East on Meander between Sec. 4 & 9.

40.00 Set temp. gr. sec. post.
80.00 Set mile post.
Land & Timb. ~~~~~

West correct line between Sec. 4 & 9.

40.00 Set gr. sec. post. from which
a Beech 10 in. dia. bears N 55° E. 23 lb. dist. X
a Do. 14 " " " S 15° E. 23 " "
80.00 Sec. Cor.

North Between Sec. 4 & 5.

27.20 an Elm 30 in. diam.
40.00 Set gr. sec. post. from which
an Elm 15 in. dia. bears - N 55° E. 43 lb. dist. and
a Beech 14 in. dia. bears S 79° W. 36 lb. dist. X
71.50 Intersect N. Boundary of Township
100 lb. W. of post & set post loc. of Sec 4
and 5. from which
a Beech 21 in. dia. bears S 78° E. 39 lb. dist. X

492 S. D. N. R. 14 E. 2nd Apr. Ind. a

ch. Yk. a Beech 12 in. dia. bears S 12 W. 27 lb. dist. &
Limbs Beech Maple Elm & some
wet land.

North Between sections 31 & 32.

8.62 on Ash 24 in. diam.
40.00 Set g. sec. post, from which
a Sugar 18 in. dia. bears S. 28 W. dist. &
a Do. 21 " " " N 40 E. 24 " "
42.40 a Beech 24 in. dia.
48.00 a Branch 25 lb. wide E. N. E.
80.00 Set post Cor. to Sec. 29, 30, 31 & 32, p. wh.
a Beech 18 in. dia. bears N 4 E. 25 lb. dist. &
a Sugar 12 " " " N 50 W. 50 " "
Limbs Beech Sugar Ash & Poplar.

East to Random between Sec. 29 & 32.

5.00 a Drain course N.
26.80 a Do. " N.
32.00 a " " N.
40.00 Set temp. g. sec. post.
77.50 a Branch 30 lb. wide course —
80.26 Intersect N & S line at post.

West correct line between Sec. 29 & 32.

40.13 Set g. sec. post, from which
an Oak 33 in. dia. bears N 57 W. 20 lb. dist. &
a Buckeye 12 in. " " S 25 W. 20 " "
Limbs, Beech Sugar, Ash, Oak.

North Between Sec. 29 & 30.

10.10 a Branch 6 lb. wide course E.
18.35 a Beech 20 in. diam.
40.00 Set g. sec. post, from which
a Sugar 22 in. dia. bears N 49 W. 22 lb. dist.
a Do. 12 " " " N 76 E. 5 " "

493

G. 20 N. R. 14 E. 2nd Mer. & Ind. a.

51.00 an Elm 36 in. diam.
 80.00 Set post, cor. to sec. 19, 20, 29 & 30.
 a Bl. Ash 22 in. dia. bears N 10 W, 19 lks. dist.
 a Beech 10 " " " S 64 E, 13 " "
 Land & Limb. _____

East Unk. Random between sec. 20 & 29.

12.40 a Branch 20 lks. wide e. N.
 40.00 Set temp. gr. sec. post.
 41.00 a Branch 25 lks. wide e. N.
 60.10 a Do. 30 " " Course N.
 80.00 To N & S. line at post.

West Correct line between sec. 20 & 29.

40.00 Set gr. sec. post, from which
 a Sugar 12 in. diam. bears N 56 E, 36 lks. dist.
 a Beech 14 " " " S 68 W, 43 " "
 80.00 Sec. cor. February 13th 1871.

West Between sections 30 & 31.

26.35 a Sugar 22 in. dia.
 40.00 Set gr. sec. post, from which
 a Beech 14 in. dia. bears N 61 E, 31 lks. dist.
 a Beech 12 " " " S 29 E, 19 " "
 76.00 a Do. 14 " "
 87.10 Intersect W. Boundary. 86 lks. N. of post &
 Set post cor. to sec. 30 & 31. fr. wh.
 a Beech 14 in. dia. bears N 33 E, 12 lks. dist.
 a Do. 12 " " " S 32 E, 36 " "
 Limb. Beech, Ash & Oak.

West Between sections 19 & 30.

31.64 a Beech 20 in. diam.
 40.00 Set gr. sec. post, from which
 a Beech 18 in. dia. bears N 47 E, 13 lks. dist.
 a Beech 16 " " " S 62 W, 15 " "

494 S. D. N. R. H. E. Ind " W. Ind. a

ch. Lk.

57.50 a Drain c. N.
72.00 an Ash 22 in. diam.
84.63 Intersect N & S. line on W. Boundary
158 Lk. N. of post & Set post Cor. to Sec. 19 & 20.
a Sugar 20 in. dia. bears S 32 E. 32 Lk. dist.
a Do. 14 " " " N 8 E. 11 " "
Prim. Beech, Sugar, Ash, Walnut &
Oak.

North Between Sections 19 & 20.

17.05 an Ash 20 in. diam.
40.00 Set gr. Sec. post. from which
an Elm 12 in. dia. bears S 43 W. 12 Lk. dist.
a Hickory 20 " " " N 23 E 12 " "
74.30 a Sugar 22 in. dia.
80.00 Set post Cor. to Sec. 17, 18, 19 & 20, fr. wh.
an Ash 16 in. dia. bears N 8 E. 18 Lk. dist.
a Beech 12 " " " N 28 W. 10 " "
Prim. Beech, Sugar, Ash, Elm, Oak &
Hickory.

East On Mound between Sec. 17 & 20.

23.00 a Branch 50 Lk. wide course N.
40.00 Set tempy. gr. Sec. post.
76.50 a Branch 50 Lk. wide c. N.
80.50 Intersect N & S. line 6 Lk. N. of post.

West Correct line between Secs. 17 & 20.

41.25 Set gr. Sec. post. from which
an A. Oak 12 in. dia. bears N 63 W. 19 Lk.
a Buckeye 12 " " " S 5 W. 35 " dist.
Prim. Beech, Sugar, Ash, Oak.
80.50 Sec. Cor.

West On True line between Secs. 18 & 19.

23.90 a Drain course N.

495

T. 20 N. R. 14 E. 2nd Mer. Ind. a

Ch. Lk.

- 36.00 a Sugar 20 in. diam.
 40.00 Set q. sec. post, from which
 an Ash 18 in. dia. bears N 20 E. 17 lks. dist. &
 a Beech 12 " " " S 47 E. 17 " "
 61.50 a Drain course N.
 82.50 a Beech 18 in. diam.
 86.00 Intersect W. Boundary 236 lks. N. of post
 & set post cor. to Sec. 18 & 19, fr. wh.
 a Beech 32 in. diam. bears S 11 E. 15 lks. dist.
 a Do. 14 " " " N 52 E. 23 " "
 Limb. Beech, Ash, Sugar & Oak.

North Between Sec. 17 & 18.

- 5.50 a Beech 20 in. diam.
 25.50 a Branch 15 lks. wide course E.
 40.00 Set q. sec. post from which
 a Sugar 14 in. dia. bears N 60 W. 10 lks. dist. &
 a Do. 30 " " " N 25 E. 33 " "
 57.00 a Creek 110 lks. wide c. W.
 80.00 Set post cor. to Sec. 7, 8, 17 & 18, fr. wh.
 a Sugar 16 in. dia. bears S 44 E. 15 lks. dist. &
 a Do. 19 " " " N 68 W. 36 " "
 Land & Limb. _____

East On Random between Sec. 8 & 17.

- 40.00 Set temp. q. sec. post.
 80.40 Intersect N & S. line 80 lks. N. of post.

West correct line between Sec. 8 & 17.

- 40.20 Set q. sec. post, from which
 a Beech 23 in. dia. bears N 61 E. 12 lks. dist.
 a Bl. Ash 30 " " " S 14 E. 29 " "
 80.40 Sec. cor.

West Between Sec. 7 & 18.

- 19.00 a Sugar 22 in. diam.

496 S. D. N. 16. 14 E. 2nd Mer. Ind. &
ch. Skp.

- 40.00 Set q. sec. post, from which
a Beech - in. dia. bears N 33° W. 39 lb. dist.)
a Do. 30 " " " S 88° E. 53 " ")
44.04 a Do. 14 " ")
89.60 Intersect W. Boundary 480 lb. N. of post.)
& Set post cor. to sec. 7 & 18. from which
a Beech 23 in. dia. bears S 66° E. 17 lb. dist.)
a Do. 14 " " " N 30° E. 15 " ")
Timb. Beech, Ash, Oak Hickory.
-

North Between sections 7 & 8.

- 40.00 Set q. sec. post from which
a Sugar 17 in. dia. bears S 67° E. 6 lb. dist.)
a Do. 8 " " " N 32° E. 29 " ")
54.20 a Wh. Oak 34 in diam.)
80.00 Set post cor. to sec. 5, 6, 7 & 8, fr. which
a Sugar 22 in. diam. bears S 52° E. 20 lb. dist.)
an Ash 30 " " " N 68° E. 20 " ")
Timber, Beech, Sugar Ash Oak &c.
-

East on Random between sec. 6 & 8.

- 40.00 Set temp. q. sec. post.
42.00 a Branch 12 lb. wide e. N. W.
80.00 Intersect N & S. line at post.
-

West Correct line between sec. 5 & 8.

- 40.00 Set q. sec. post. from which
a Beech 21 in. dia. bears S 48° W. 8 lb. dist.)
a Do. 8 " " " S 81° E. 42 " ")
80.00 Sec. cor.
-

West Between sec. 6 & 7.

- 40.00 Set q. sec. post. from which
a Beech 12 in. dia. bears N 88° W. 10 lb. dist.)
a Do. 18 " " " S 32° W. 29 " ")
91.50 Intersect W. Boundy. 510 lb. N. of post. &

497

P. 20 N. R. 14 E. 2nd Mer. Ind.

ch. 4th. & set post cor. to sec. 6 & 7, from wh.
a Wh. Oak 32 in. dia. bears N 34 E. 6 1/2 W. dist.
a Hickory 12 " " " S 55 E. 19 " "
Limb. Beech, Ash Oak Hickory &
Maple. part wet.

North between sections 5 & 6.

12. 56 a Branch 12 in. wide c. W.

26. 40 a Sugar 17 in. diam.

40. 00 Set gr. Sec. post. from which
a Wh. Oak 26 in. dia. bears N 47 E. 42 W.
a Beech 12 " " " N 23 E. 17 " dt.

58. 11 a Do. 22 " "

75. 50 Intersect N. Boundary 158 W. n. of post.
& set post cor. to sec. 5 & 6, from which
a Beech 6 in. dia. bears S 24 W. 25 W. dist. &
a Sugar 9 " " " S 78 W. 26 " "
Land, part wet. Beech, Ash & Oak.

February 14th 1811.

Surveyed By Jacob Fowler, D. S.

I Certify that the foregoing transcripts
of the field notes of Township 20 North
in Range 14 East 2nd Mer. Indiana,
has been compared with the Original
in this office & found to be correct.

Surveyor General's Office.

Cincinnati, March 7th 1845.

William H. Rector
Sur. Genl.